

KENZ ARTICLE CODE

E7SDETMR6011EX-001
 E7SDETMUB-EX-001
 E7SWCH024V16A2P-001
 E7SWCH05-0003-001000
 E7SWCH05-0003-001001
 E7SWCH07-3321-1200
 E7SWCH25-8602807177AA
 E7SWCH-3746050
 E7SWCH380V16A3P-001
 E7SWCH400V20A3P-003
 E7SWCH690V25A3P-001
 E7SWCH757-900411-001
 E7SWCH8003/111-001
 E7SWCH8003/21-3-1
 E7SWCH8003/5NA-002-6
 E7SWCH8082/001-022
 E7SWCH8082/001-02201
 E7SWCH8334/111-1-1
 E7SWCH86028
 E7SWCH8602801177AA
 E7SWCHCA20BEV1T481MA
 E7SWCHCEX17/5923/220
 E7SWCHCEX230V20A3P-01
 E7SWCHCEX400V20A3P-01
 E7SWCHFOOTXPE-M110-0
 E7SWCHKG32
 E7SWCHKG64
 E7SWCHLIMIT07001EX00
 E7SWCHMD441-11Y
 E7SWCHSA1XCO-0000001
 E7SWCHSA1XNO-0000001
 E7SWCHSAT4V7H335-11Z
 E7SWCHTQ441-11Y
 E7SWCHTS236112M20
 E7SWCHXAL-8102
 E7SWCHXAL-K178F
 E7SWCHXB4-BD21
 E7SWCHXB4-BG21
 E7SWCHXCKT-2118P16-1
 E7SWCHZB2-BA2
 E7SWCHZB2-BA4
 E7SWCHZB2-BD2
 E7SWCHZB2-BE101
 E7SWCHZB2-BG6
 E7SWCHZB2-BZ102
 E7SWCHZB2-BZ104
 E7SWCHZB2-BZ105
 E7SWCHZB4-BA0
 E7SWCHZB4-BD2
 E7SWCHZB4-BD3
 E7SWCHZB4-BG2
 E7SWCHZB4-BG220
 E7SWCHZB4-BJ2
 E7SWCHZB4-BW061
 E7SWCHZB4-BW33
 E7SWCHZB4-BW34
 E7SWCHZB4-BW35
 E7SWCHZB4-BW36
 E7SWCHZBA-2
 E7SWCHZBE-101
 E7SWCHZBE-102
 E7SWCHZEN-L1121
 E7SWCHZS336-11Z
 E7THST2305A00000EX00
 E7TMPD110MMG08001
 E7TMPD84110110KBSP
 E7TMP120C81MMEX0010
 E7TMPSEXS2305-060
 E7TMPSEXS2305-080
 E7TMPSPFN645-849
 E7TMPSPKPS79001
 E7TMPSPA17A/KF11A1
 E7TMPSPWTRWG1/2T72401
 E7TMPSTA1004-20BSP04
 E7TMPSTA1004-20BSP55
 E7TMPTR4G1/2-0001
 E7TMPTR4G1/2-0004
 E7WINDGEO-20MA-001
 E8HORN24VDC00200SA00
 E8HORN24VDC00200SA01
 E8RDIO20278075070/01
 E8SPKRS408W100V-001
 E9AMPLS22381-001
 E9AMPL9251/02-40
 E9AMPLEX001
 E9AMPLEX002
 E9AMPLEX003
 E9AMPLEX007
 E9DIOD2954934
 E9DIODBRIDGE24-250V
 E9DIODEEXDEIIC
 E9DIODMODEMG50-B9
 E9DIODZENER9001/03-1
 E9DIODZENER9004/51-1
 E9EUCDPVRS245/11
 E9EUCDSKBi32D
 E9EUCDSKBi64/E48
 E9FUSE2-8560/51-4191
 E9FUSE6.3X32-1.6AT
 E9FUSE6.3X32-2AF
 E9FUSE6.3X32-2AT
 E9FUSEFF-002AC001
 E9FUSEFF-006AC001
 E9FUSEFF-010AC001

DESCRIPTION

Smoke Detector
 Smoke detector base
 Emergency stop unit
 3 Position switch element stay put
 3 Position switch element
 Cartridge frame for switch
 Emergency stopunit
 Spare Key MS1
 Switch spring return
 Switch 3P 400V 20A CO+O
 Switch
 Multi speed windowwiper switch
 Push button
 Pushbutton Exd
 Pushbutton Exd
 Push button black
 Second contact for push button
 Footswitch eex
 Key switch
 Key switch
 Safety Switch
 Switch relay eex
 Switch 3P 230V 20A
 Safety Switch 3P 400V 20A
 Foot switch (SAFE) 1xNO+NC
 Switch safety
 Main Switch
 End switch
 Final limit switch
 Lighting switch safe area 1xCO
 Lighting switch safe area 1xNO
 Position Switch
 Slack rope switch
 Switch
 Pushbutton in box
 Emergency stop pushbutton+box
 Switch 2pos. 1xNO contact
 Key-switch 2 pos. 1xNO
 Switch
 Switch push button black
 Switch push button red
 Switch
 Switch 500V- BE101
 Keyswitch 2pos. spring return
 Switch 500V- BZ102
 Contact block 25NC
 Contact block 25NC
 Pushbutton without cap
 Switch 2 positions
 Switch 3 positions
 Key switch 2 pos. (Crane OFF-ON)
 Key switch 2 pos. (Aux. funct.)
 Switch 2 positions long
 Switch/Control light base 1xNO
 Pushbutton / light Green
 Pushbutton / light Red
 Pushbutton / light Yellow
 Pushbutton / light Blue
 Pushbutton cap Black
 Switching contact NO
 Switching contact NC
 Contact "O" bottom mounting
 Limit Switch
 Ambi Thermostat
 Thermowell G1/2"
 Thermo well G1/2"
 Heater thermostat
 High hydr. oil temp. switch
 Splitterbox high temp. switch
 Temperature Switch
 Thermostat
 Temperature Switch
 Temperature Switch
 Temperature transmitter
 Temperature transmitter
 Temperature transmitter
 PT100 temperature sensor
 Windspeed Gauge
 Warning horn single tone
 Warning horn dual tone
 Ex proof transeiver system
 Loudspeaker
 f => I converter. Namur input 0(4)-20mA
 2 channel I.S. Isolator 110VAC
 Isolation Amplifier
 Isolation amplifier
 Isolation amplifier
 Isolation amplifier
 Diode
 Diode bridge
 Diode block
 Diode Module
 Zener barrier
 Zener barrier
 Valve amplifier card
 Print contactblock
 Print contactblock
 Fuse 1,25A Eex me II
 Fuse
 Fuse
 Fuse
 Diazed Fuse 2A
 Diazed Fuse 6,3A
 Diazed Fuse 10A

QTY. MANUFACTURER/ SUPPLIER DESCRIPTION

2.00 Tyco MR6011Ex Optical smoke detector 516.054.011.Y
 1.00 Tyco MUB-EX detector base 517.050.023
 4.00 CEAG GHG 411 8101 R0093 (2x NC 1x M25)
 1.00 Bartec 05-0003-001000 (Niet veerretour naar middenstand)
 13.00 Bartec 05-0003-001001 (Veerretour naar middenstand)
 9.00 Bartec 07-3321-1200 (2NO, Eex de IIC, DIN Rail montage)
 1.00 Emergency stopunit type 25-8602807177AA
 1.00 3746050
 1.00 SWITCH 3P 16A/380V-50Hz STAHL
 2.00 CEAG GHG 262 0016 R0002 (20A 3-polig change-over+0 3xM32 + 1xM25)
 1.00 SWITCH 3P/25A-1xNO-2xM32-1xM20 /8537/2-703-7000
 8.00 Observer part no. 900.411
 1.00 Stahl 8003/111-001 1xNO+1xNC EExde drukknop met M16 wartal
 2.00 Stahl 8003/21-3-1 EEX d
 1.00 Stahl 8003/5NA-002-6
 1.00 8082/001-022-black, pushbutton, 1NO, black
 2.00 2-8082/1-2-00, 1NO
 1.00 ART. NR. 8334/111-1-1 STAHL
 1.00 8602801177AA, 8602A0008-1-2-R-H-MS04
 1.00 8602801177AA (8602A0008-1-RR-V-MS2)
 6.00 SWITCH- CA20BEV1+840G7=481MA-2XPG21 Kraus&Naimer
 1.00 IA 220 VAC-8A / 17-5923-2622 BARTEC
 4.00 CEAG GHG 262 2301 R0001 (2x1/2" NPT wartal tbv UL cert.)
 1.00 CEAG GHG 262 2301 R0001
 1.00 Telemecanique XPE-M110
 3.00 Kraus & Naimer KG32 T203 /33 KL 1
 1.00 5900283 Kraus & Naimler type KG64 T104/33 KL1
 1.00 LIMIT TYPE 07-2921-4026/01 M20
 2.00 MD441-11Y, V5268
 2.00 Kraus & Naimer switch CA11 A220-913 PF Part. Nr. 04791 8
 3.00 Kraus & Naimer switch CA11 A290-913 PF Part. Nr. 04783 3
 5.00 Rol bediende eind schakelaar 1NO 1NC
 1.00 TQ 441-11Y
 10.00 TS 236-11Z-1297 (V2001)
 1.00 Telemecanique XAL-B102
 1.00 Telemecanique XAL-K178F
 5.00 Telemecanique XB4-BD21 (ZB4-BZ101 + ZB4-BD2)
 8.00 Telemecanique XB4-BG21
 1.00 Telemecanique XCKT-2118P16 standschakelaar met rol IP66
 10.00 Telemecanique ZB2-BA2
 10.00 Telemecanique ZB2-BA4
 6.00 Telemecanique ZB2-BD2
 4.00 Telemecanique ZB2-BE101
 2.00 Telemecanique ZB2-BG6
 8.00 Telemecanique ZB2-BZ102
 4.00 Telemecanique ZB2-BZ104
 5.00 Telemecanique ZB2-BZ105
 12.00 Telemecanique ZB4-BA0
 19.00 Telemecanique ZB4-BD2
 9.00 Telemecanique ZB4-BD3
 11.00 Telemecanique ZB4-BG2
 5.00 Telemecanique ZB4-BG220
 10.00 Telemecanique ZB4-BJ2
 3.00 Telemecanique ZB4-BW061
 19.00 Telemecanique ZB4-BW33
 11.00 Telemecanique ZB4-BW34
 7.00 Telemecanique ZB4-BW35
 13.00 Telemecanique ZB4-BW36
 10.00 Telemecanique ZBA-2
 14.00 Telemecanique ZBE-101
 11.00 Telemecanique ZBE-102
 2.00 for Telemecanique XAL-K178F "43174030"
 13.00 ZS 336-11Z-M20
 2.00 Trafag, EXAS35
 10.00 ART.060L3271 DANFOSS TU.NR.679-449
 4.00 Trafag RVS 1/2" BSP type 84110110K
 3.00 Spook artikel
 3.00 Trafag EXS 230 S Vooringesteld op 60°C
 2.00 Trafag EXS 230 S Vooringesteld op 80°C
 12.00 Miniature thermostat (normally closed) for panel mounting on 35mm DIN rail
 6.00 ART.060L3105 DANFOSS TU.NR 680-629
 1.00 PA17A/KF11A1 ASCO TRI-POINT
 5.00 TRW-G1/2"-PN16-T700-24V/22 (58TR1206)
 4.00 ETS 4144-A-000 (903381)
 1.00 Element type CA2022-D-SW3030-1
 5.00 Goldammer TR4-G1/2-PN16-22-FE (58TR0404)
 2.00 Muller PT100 MK.0.1.0.8..2.2.XXX (85mm)
 1.00 319023003, type 243-05AG-HF-W9 0-20mA, 0-5m/s(72x72mm)
 4.00 MEDC DB15 048NG 24VDC IP66 2xM20 15W (117dBA)
 1.00 MEDC DB15P048NG 24VDC IP66 2xM20 15W (117dBA)
 2.00 according data sheet 20.278.07-5070/01 rev 0
 3.00 DNH HS-8(T) Speaker 8W 100V
 2.00 PR Electronics prog. converter 5223-B-1
 1.00 Stahl 9170/20-10-21 Switching repeater 96-253V 50Hz
 3.00 KFD0-SD2-EX1.1065 (voorheen KFD2-SD-EX1.17)
 4.00 KFD2-VR2-EX1.50M (voorheen KFD2-VR-EX1.50M)
 2.00 KFD-CD-EX1.32-8
 2.00 Pepperl & Fuchs KFD2-UT2-Ex1
 7.00 DIODE 32 /PHOENIX 2954934
 1.00 DIODE BRIDGE 24-250V LA4 DC14
 2.00 DIODE BLOCK 07-7311-63GF5300
 3.00 Phoenix 29 47 26 8 EMG50-B9
 4.00 Stahl 9001/03-199-000-101
 4.00 Stahl 9004/51-206-050-001
 4.00 EUROCARD HK PVRS 245/11 (890074 / 609.03.24.11)
 3.00 SKBI 32D NR. 2261054
 4.00 SKBI 64/E48 NR. 2264080
 18.00 Stahl 2-8560/51-4191 Fuse 1,25A 250V
 9.00 Glaszekering 6,3x32mm 1,6A traag
 10.00 Glaszekering 6,3x32mm 2A snel
 10.00 Glaszekering 6,3x32mm 2A traag
 8.00 Weber GS-FF 5020/ 2A
 8.00 Weber GS-FF 5020 /6,3A
 8.00 Weber GS-FF 5020 /10A

KENZ ARTICLE CODE

E9PRNT25P1-001
E9RSTRVAR001
E9ZBARKCD2SREX2
H0001A32FLA32
H0001A32FLB32
H0001A40DLB24
H0001AT32DLA20
H0001AT32DLB20
H0001W16FH16
H0001W20FH16
H0001W20FHA20
H0001W20FH820
H0001W20FH824.085
H0001W20FLA20
H0001W24FH24
H0001W24FHA20
H0001W24FHA24
H0001W24FHB20
H0001W24FHB24
H0001W24FLA24
H0001W24FLB24
H0001W25DSB16
H0001W32DS24
H0001W32DSA20
H0001W32FH24
H000-2020.01-00.30
H000-216330S
H000-220238S
H000-220338S
H00030218-24-24
H00030818-24-24
H00030918-24-24
H000-3301/01-174A
H000-3301/01-174B
H000-3301/01-246
H000-4010/01-261
H000-4010/01-290
H000-4010/01-639
H000-4010/01-639B
H00041.721-20-10SS
H0005100-52-16B
H0005100-55-08B
H0005100-55-16B
H0005100-57-16S
H0005100-59-16S
H0005110-55-24B
H000-5112-12
H000-5112-16
H000-5112-20
H000-5112-24
H000-5113-24_
H000-5140-06-04.01
H0005147-24
H0005147-32
H000AFC404
H000AFC405
H000AFS100GBSP
H000AFS100S
H000AFS102GBSP
H000AFS102SA30
H000AFS104GBSP
H000AFS104S
H000AFS104SA38
H000AFS106GBSP
H000AFS108GBSP
H000AFS108S
H000AFS108ST
H000AFS114GM
H000AFS402GBSP
H000AFS402S
H000AFS403/90G1*
H000AFS403GBSP
H000AFS405/90G
H000AFS405G
H000AFS405S
H000AFS405ST2
H000AFS406G
H000BELLOW 1 1/2" DN40
H000BELLOW2 1/2"
H000BELLOW4" DN100
H000BELLOW4" DN100-01
H000BPD7301G04PRA00S
H000COVERSEAL06X16
H000COVERSEAL06X17,5
H000COVERSEAL06X26,5
H000COVERSEAL06X27,5
H000COVERSEAL08X32
H000COVERSEAL12X32
H000DKO305HDN2590SS
H000DKO305HDN25SS
H000DKOL12LDN10SS
H000DKOL15LDN1290SS
H000DKOL15LDN12SS
H000DKOL22LDN2090SS
H000DKOL22LDN20SS
H000DKOL28LDN2590SS
H000DKOL28LDN25SS
H000DKOL35LDN3290SS
H000DKOL42LDN4090SS
H000DKOL42LDN40SS
H000DKOS16SDN1290SS
H000DKOS20SDN1690SS
H000DKOS20SDN16SS
H000DKOS25SDN2090SS

DESCRIPTION

Print plate
Varistor tbv Siemens relais
Zener Barrier
2" Flange Shoulder 45ø
2" Flange Shoulder 90ø
42L Fem. Swivel Metr. 90ø
Fem. Swivel Metr. Light 45ø
Fem.Swivel Metr. Light 90"
1" Global Spiral Fitting 90"
1,25" Global Spiral Fitting STR
1,25" Global Spiral Fitting 45"
1,25" Global Spiral Fitting 90"
1,25" Global Spiral Fitting 90"
1,25" Global Spiral Fitting 45"
1,5" Global Spiral Fitting STR
1,5" Global Spiral Fitting 45
1,5" Global Spiral Fitting 45
1,5" Global Spiral Fitting 90
1,5" Global Spiral Fitting 90"
1,5" Global Spiral Fitting 45"
1,5" Global Spiral Fitting 90"
30S Swivel 90"(16)
38S Swivel STR.(24)
38S Swivel 45"(20)
2" Global Spiral Fitting STR
Measure Hose DN2 630 BAR
DKO 30S Fem. Swivel Metr. 90*
DKO 38S Fem. Swivel Metr. 45*
DKO 38S Fem. Swivel Metr. 90*
Hose coupling for GH466-24
Hose coupling for GH466-24
Hose coupling for GH466-24
Bell housing
Flexible coupling
Bell Housing & coupling
Bell housing & coupling
Bell housing & coupling
Bell housing & coupling
Bell housing
20S Fem. Swivel STR (10) SS
Filling connector
null
Filling connector
Filling connector dust cap
Filling connector dust plug
Filling connector
Sandwich Flange with MP
Sandwich Flange with MP
Sandwich Flange with MP
Sandwich Flange with MP
Sandwich Flange with MP
Meas. hose coupl.DN2 DKO-8L
SAE Closed flange
SAE Closed flange
Blind flange 1 1/4" 6000
Blind flange 1 1/2" 6000
2/3" SAE-pipe thread flange
SAE-socket weld flange
1" SAE-pipe thread flange
SAE-socket weld flange
1 1/4" SAE-pipe thread flange
1 1/4" SAE-socket weld flange
SAE-socket weld flange
1 1/2" SAE pipe thread flange
2" SAE pipe thread flange
2" SAE socket weld flange
Weld flange
SAE Pipe threaded flange
BSP threaded flange
Weld in flange
SAE-90 pipe threaded flange
1" SAE-6000 thread flange
Thread flange
1 1/2" FLANGE SAE 6000PSI
1 1/2 FLANGE SAE 6000PSI
SAE-Weld on flange
Threaded Flange
Bellow Compensator 1 1/2"
Bellow compensator 2 1/2"
Bellow Compensator 4"
Bellow Compensator 4"
Base plate PRA G 1/4"
Adjustment cover seal
Adjustment cover seal
Adjustment cover seal
Adjustment cover seal
Adjustment cover seal
Adjustment cover seal
Adjustment cover seal
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling 90gr. SS
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)
Hose coupling (AISI 316TI)

QTY. MANUFACTURER/ SUPPLIER DESCRIPTION

13.00 PHOENIX TYPE: P1-EMG25 2947190
15.00 Siemens 3RT1916-1BB00
1.00 Pepperl+Fuchs zener barrier KCD2-SR-Ex2
7.00 1A32FLA32
4.00 1A32FLB32
14.00 1A40DLB24 42L (tbv GH793-24)
17.00 1AT32DLA20
18.00 1AT32DLB20 90"
16.00 AQ-1W16FH816 (voorheen 11281-16) 1" 6000psi
10.00 AQ-1W20FH16 (voorheen 11801-16) 6000psi
17.00 AQ 1W20FHA20 (voorheen 11428-20) 1,25" 6000psi
15.00 AQ-1W20FH820 (tbv GH506-20) 1,25" 6000psi
13.00 AQ-1W20FH824.085 (voorheen 13085-24) 1,25" 6000psi
3.00 Aq-1W20FLA20 (voorheen 11019-20) 1,25" 3000psi
19.00 AQ-1W24FH24 (voorheen 10242-24) 1,5" 6000psi
11.00 AQ-1W24FHA20
6.00 AQ-1W24FHA24
20.00 AQ-1W24FHB20
10.00 AQ 1W24FHB24 (voorheen 11281-24) 6000psi 1,5"
4.00 AQ-1W24FLA24 (tbv GH506-24) 3000psi 1,5"
3.00 AQ-1W24FLB24 (tbv GH506-24) 3000psi 1,5"
20.00 AQ-1W25DSB16 (tbv GH506-16)
8.00 AQ 1W32DS24 (voorheen 13143-24)
16.00 AQ-1W32DSA20 (tbv GH506-20)
9.00 AQ-1W32FH24 (voorheen 11801-24) 2" 6000psi
7.00 DN2 630 BAR art nr:2020010028
21.00 1A25DSB16 30S
15.00 1AT32DSA20** 38S
19.00 1AT32DSB20 38S
11.00 1.5" SAE 6000 PSI for 100R13 Hose art. no. 30218-24-24
7.00 1.5" SAE 6000 PSI for 100R13 Hose art. no. 30918-24-24
5.00 1.5" SAE 6000 PSI for 100R13 Hose art. no. 30918-24-24
2.00 According data sheet 986.062-3301 rev. A
2.00 According data sheet 986.062-3301 rev. A
1.00 According data sheet 20.246.03-3301/01 rev.0
1.00 According data sheet 20.261.05-4010/01 rev. A
1.00 According data sheet P290N001-4010/01 rev. A
6.00 According data sheet 30.600.39-4010/01 rev. B
5.00 PK 300/54/07-00
10.00 AQ-41.721-20-10SS 6000psi (voor 275S)
4.00 Type: 5100-52-16B (Male)
1.00 Type: 5100-55-08B (Female)
5.00 Type: 5100-55-16B (Female)
9.00 Type: 5100-57-16S (for Male)
3.00 Type: 5100-59-16S (for Female)
1.00 Type: 5110-55-24B (Female)
2.00 SAE 3/4" 3000 PSI with measurement point G1/4" (5112-12 or AGL-100)
2.00 SAE 1" 3000 PSI with measurement point G1/4" (5112-16 or AGL-102)
4.00 SAE 1-1/4" 3000 PSI with measurement point G1/4" (5112-20 or AGL-104)
7.00 SAE 1-1/2" 3000 PSI with measurement point G1/4" (5112-24 or AGL-106)
2.00 SAE 1.5" 6000 PSI with measurement point G1/4" (5113-24 or AGL-405)
1.00 Meas. hose coupl.DN2 DKO-8L
1.00 1.5" 6000 PSI with O-ring groove, Havit no. AFC 405, Hebu 5147-24
7.00 2" 6000 PSI with O-ring groove, Havit no. AFC 406, Hebu 5147-32
18.00 AFC404, 1 1/4" SAE 6000 psi
13.00 AFC405, 1 1/2" SAE 6000 psi
10.00 AFS100G BSP 3/4" SAE 3000 PSI
2.00 AFS100S-3/4" SAE 3000 PSI
20.00 AFS102G BSP 1" SAE 3000 PSI
4.00 AFS102S A30 1" SAE 3000 PSI
20.00 AFS104G BSP 1 1/4" SAE 3000 PSI
18.00 AFS104S 1 1/4" SAE 3000 PSI (A42,8-B32)
2.00 AFS104S A38 1 1/4" SAE 3000 PSI
15.00 AFS106G BSP 1 1/2" SAE 3000 PSI
10.00 AFS108 G BSP 2" 3000 PSI
10.00 AFS108S 2" SAE 3000psi (A61-B51)
4.00 AFS108ST 2" SAE 3000 PSI
2.00 AFS 114 GM (3.5" SAE 3000 PSI, 3.5" BSP, St 52.3, metric screws, O-ring)
19.00 AFS402G 3/4" SAE 6000 PSI-3/4" BSP
4.00 AFS402S 3/4" SAE 6000 PSI-pipe 27.2
4.00 SAE 1" 6000 PSI, 90°, 1" BSP HAAKS
7.00 AFS403G BSP 1" SAE 6000psi
14.00 3/2" 6000 thread flange 90gr G3/2"
4.00 AFS405G BSP 1 1/2" SAE 6000 PSI
3.00 AFS405S 1 1/2" SAE 6000 PSI
19.00 AFS 405 SRE 60 (for metric pipe 60.3x10, with O-ring groove) 1 1/2" 6000
6.00 2" SAE 6000 PSI / 2" BSP, type: AFS406G (with O-ring groove)
1.00 SAE 1 1/2" 3000 PSI, GR-SAE DN 40 /ALUM.FLANGE
1.00 SAE 2 1/2" 3000 PSI, GR-SAE DN 65 (65612081) /ALUM.FLANGE
3.00 SAE 4" 3000 PSI, GR-SAE DN 100 (100612081) /ALUM.FLANGE (K16 ST 100)
1.00 type A1 perbunan DN100 PN16, Bl.150mm, flange DIN PN10
1.00 HAWE 3-1-1/4"
5.00 for hydraulic motor 06x16
3.00 for hydraulic motor 06x17,5
20.00 for hydraulic motor 06x26,5
4.00 for hydraulic motor 06x27,5
20.00 for hydraulic motor 08x32
3.00 for hydraulic motor 12x32
6.00 V-DKO 30-SH-DN25 90degr. (34996-42-16)
1.00 V-DKO 30-SH-DN25 (34296-42-16) STR.
3.00 V-DKOL 12L-DN10 (10295-18-06)
3.00 V-DKOL 15L-DN12 90degr. (10995-22-08)
1.00 V-DKOL 15L-DN12 (10295-22-08)
4.00 V-DKOL 22L-DN20 90degr. (10995-30-12)
9.00 V-DKOL 22L-DN20 (10295-30-12)
1.00 V-DKOL 28L-DN25 90degr. (10995-36-16)
6.00 V-DKOL 28L-DN25 (10295-36-16)
1.00 V-DKOL 35L-DN32 90degr. (10995-45-20)
3.00 V-DKOL 42L-DN40 90degr. (10995-52-24)
7.00 V-DKOL 42L-DN40 (10295-52-24)
1.00 V-DKOS 16S-DN12 90degr. (20996-24-08)
2.00 V-DKOS 20S-DN16 90degr. (20996-30-10)
4.00 V-DKOS 20S-DN16 (20296-30-10)
5.00 V-DKOS 25S-DN20 90degr. (20996-36-12)

KENZ ARTICLE CODE	DESCRIPTION	QTY. MANUFACTURER/ SUPPLIER DESCRIPTION
H000KOS25SDN20SS	Hose coupling (AISI 316TI)	3.00 V-DKOS 25S-DN20 (20296-36-12)
H000EGESD10LR002	Stud standpipe adaptor	8.00 EGESD 10 LR-WD (1/4") AISI316
H000EGESD10SR001	Stud standpipe adaptor	20.00 EGESD 10 SR-WD 3/8"
H000EGESD15LR001SS	Stud standpipe adaptor	2.00 EGESD 15 LR-WD (1/2"BSP) AISI 316TI
H000EGESD16SR001SS	Stud Standpipe adaptor	2.00 EGESD 16SR-WD (1/2"BSP) AISI 316 L
H000EGESD20SR001SS	Stud standpipe adaptor	4.00 EGESD 20 SR-WD (3/4"BSP) AISI 316TI
H000EGESD22LR001	Stud standpipe adaptor	9.00 EGESD 22 LR-WD (3/4"BSP)
H000EGESD28LR002SS	Stud standpipe adaptor	1.00 EGESD 28 LRS/4-WD RVS
H000EGESD30SR001	Stud standpipe adaptor	22.00 EGESD 30 SR-WD (1 1/4"BSP)
H000EGESD38SR001	Stud standpipe adaptor	16.00 EGESD 38 SR-WD (1 1/2"BSP)
H000EGESD42LR001	Stud standpipe adaptor	17.00 EGESD 42 LR-WD (1 1/2"BSP)
H000ELSD08S001	Adjustable male T-stud barrel	12.00 ELSD 08 S
H000ELSD10L002	Adjustable male T-stud barrel	4.00 ELSD 10 L AISI 316TI
H000ELSD12S01SS	Adjustable male T-stud barrel	2.00 ELSD 12S AISI 316
H000ELSD15L002	Adjustable male T-stud barrel	8.00 ELSD 15 L AISI 316TI
H000ELSD16S002	Adjustable male T-stud barrel	6.00 ELSD 16S AISI 316TI
H000ELSD18L001	Adjustable male T-stud barrel	19.00 ELSD 18 L
H000ELSD20S001	Adjustable male T-stud barrel	20.00 ELSD 20 S
H000ELSD20S002	Adjustable male T-stud barrel	4.00 ELSD 20 S AISI 316TI
H000ELSD22L001	Adjustable male T-stud barrel	23.00 ELSD 22 L
H000ELSD22LSS	Adjustable male T-stud barrel	5.00 ELSD 22 L AISI 316TI
H000ELSD25S001	Adjustable male T-stud barrel	13.00 ELSD 25 S
H000ELSD25S002	Adjustable male T-stud barrel	4.00 ELSD 25 S AISI 316TI
H000ELSD28L001SS	Adjustable male T-stud barrel	2.00 ELSD 28 L AISI 316TI
H000ELSD30S001	Adjustable male T-stud barrel	17.00 ELSD 30 S
H000ELSD35L	Adjustable male T-stud barrel	21.00 ELSD 35 L
H000ELSD38S001	Adjustable male T-stud barrel	13.00 ELSD 38 S
H000ELSD42L001	Adjustable male T-stud barrel	23.00 ELSD 42 L
H000ETSD08S001	Adjustable equal T	8.00 ETSD 08 S
H000ETSD15L002	Adjustable equal T	7.00 ETSD 15L AISI 316TI
H000ETSD20S001	Adjustable equal T	22.00 ETSD 20 S
H000ETSD20S002	Adjustable equal T	1.00 ETSD 20 S AISI 316TI
H000ETSD22L001	Adjustable equal T	17.00 ETSD 22 L
H000ETSD22L001SS	Adjustable equal T	2.00 ETSD 22 L AISI 316TI
H000ETSD28L001	Adjustable equal T	16.00 ETSD 28 L
H000ETSD38S001	Adjustable equal T	10.00 ETSD 38 S
H000ETSD42L001	Adjustable equal T	11.00 ETSD 42 L
H000ETVD38S-SS	Adjustable equal T	3.00 ETVD 38S - RVS 316 COMPLETE
H000EWS08S001	Adjustable male stud elbow	13.00 EWS0 08 S
H000EWS10L002	Adjustable male stud elbow	1.00 EWS0 10 L AISI 316TI
H000EWS12L001SS	Adjustable male stud elbow	3.00 EWS0 12 L AISI 316TI
H000EWS15L001	Adjustable male stud elbow	22.00 EWS0 15 L
H000EWS15L002	Adjustable male stud elbow	2.00 EWS015 L AISI 316TI
H000EWS18L001	Adjustable male stud elbow	15.00 EWS0 18 L
H000EWS20S001	Adjustable male stud elbow	13.00 EWS0 20 S
H000EWS25S002	Adjustable male stud elbow	2.00 EWS0 25 S AISI 316TI
H000EWS28L002	Adjustable male stud elbow	4.00 EWS0 28 L AISI 316TI
H000EWS38S001	Adjustable male stud elbow	12.00 EWS0 38 S
H000EWS42L001	Adjustable male stud elbow	15.00 EWS0 42 L
H000EWD38S-SS	Adjustable male stud elbow	5.00 EWD 38S - RVS 316 COMPLETE
H000G74446-16	SPLIT HALF 1" 3000psi	14.00 SPLIT HALF 1" 3000psi
H000G74446-20.1	SPLIT HALF 1 1/4" 3000psi	18.00 SPLIT HALF 1 1/4" 3000psi
H000G74446-24	Split half 1 1/2" 3000psi	20.00 SPLIT HALF 1 1/2" 3000psi
H000G74446-48.1	SPLIT HALF 3" 3000psi	9.00 SPLIT HALF 3" 3000psi
H000GES08LR(3/8")SS	Male stud coupling	2.00 GES 8 LR 3/8 AISI 316TI
H000GES08SM(M14)WD	Male stud coupling	14.00 GES 08 SM (M14x1.5) WD
H000GES10LM(M12)SS	Male stud coupling	15.00 GES 10 LM (M12x1.5) WD AISI 316TI
H000GES10LM(M14)SS	Male stud coupling	2.00 GES 10 LM (M14x1.5) WD AISI 316TI
H000GES10LR(1/2)WDSS	Male stud coupling	4.00 GES 10 LR (1/2") WD AISI316TI
H000GES10LR(3/8)WDSS	Male stud coupling	5.00 GES 10 LR (3/8") WD AISI316TI
H000GES12L(1/4"NPT)	Male stud coupling	20.00 GES 12 L 1/4" NPT
H000GES15LR(1/2")	Male stud coupling	2.00 GES 15 LR (1/2") WD AISI 316TI
H000GES15LR(3/4")WD	Male stud coupling	5.00 GES 15 LR (3/4") WD
H000GES16S(3/8"NPT)	Male stud coupling	23.00 GES16SR 3/8" NPT
H000GES16SM(M18X1.5)	Male stud coupling	4.00 GES 16 SM 18x1.5 WD
H000GES16SR(3/4)WDSS	Male stud coupling	3.00 GES 16 SR (3/4") WD AISI 316TI
H000GES18LR(1/2")SS	Male stud coupling	4.00 GES 18 LR (1/2") AISI316
H000GES20SR(11/4")WD	Male stud coupling	12.00 GES 20 SR (1 1/4") WD
H000GES20SR(3/4")SS	Male stud coupling	3.00 GES 20 SR (3/4") WD AISI 316TI
H000GES20SR(3/4")WD	Male stud coupling	17.00 GES 20 SR (3/4")WD
H000GES22L(3/4"NPT)	Male stud coupling	19.00 GES 22 L 3/4" NPT
H000GES22LR(1")WD	Male stud coupling	11.00 GES 22 LR (1") WD
H000GES22LR(1/2")SS	Male stud coupling	2.00 GES 22 LR 1/2" AISI316
H000GES22LR001	Male stud coupling	15.00 GES 22 LR (3/4") WD
H000GES25SR(1")SS	Male stud coupling	14.00 GES 25 SR (1") WD AISI 316TI
H000GES28L(1"NPT)	Male stud coupling	13.00 GES 28 L 1"NPT
H000GES30SR(1")SS	Male stud coupling	1.00 GES 30 SR (1") AISI316
H000GES30SR(11/2")WD	Male stud coupling	20.00 GES 30 SR (1 1/2") WD
H000GES38SM(M48)WD	Male stud coupling	22.00 GES 38 SM (M48) WD
H000GES38SR(1")WDSS	Male stud coupling	2.00 GES38SR1" - WD AISI 316L
H000GES38SR(11/4")WD	Male stud coupling	23.00 GES 38 SR (1 1/4") WD
H000GES42L00001	Male stud coupling	18.00 GES42L/ 1- 5/8 - 12 UNF
H000GES42LR(11/2)WDSS	Male stud coupling	11.00 GES 42 LR (1 1/2") WD AISI 316TI
H000GES42LR(11/4")WD	Male stud coupling	9.00 GES 42 LR (1 1/4") WD
H000GFS104S-A38	Straight flange coupling	9.00 GFS104S A38MM 1 1/4"SAE 3000
H000GFS106G BSP	Straight flange coupling	3.00 GFS106G 1 1/2"SAE 3000 PSI
H000GFS106S	Straight flange coupling	8.00 GFS106S 1 1/2"SAE 3000 PSI
H000GFS106S-AISI316	Straight flange coupling	6.00 GFS106S AISI316 1 1/2"SAE 3000
H000GFS112G BSP	Straight flange coupling	3.00 GFS112G 3" BSP SAE 3000
H000GFS114S	Straight flange coupling	5.00 GFS114S 3 1/2" SAE 3000
H000GFS15L3S	Straight flange coupling	10.00 GFS15L3S
H000GFS15L40	Straight flange coupling	8.00 GFS 15 L-40
H000GFS22L40	Straight flange coupling	7.00 GFS-22-L-40
H000GFS402GBSP	Straight flange coupling	7.00 GFS402G BSP 3/4" SAE 6000 PSI
H000GH21049-32	Global Spiral Fitting	13.00 6 SP GH21049-32
H000GH21051-32	Global Spiral Fitting	14.00 6 SP GH21051-32
H000GS10LSS	Straight coupling	10.00 GS 10 L AISI 316TI
H000GS12LSS	Straight coupling	8.00 GS 12 L AISI 316TI
H000GS16SSS	Straight coupling	8.00 GS 16 S AISI 316TI
H000GS25SSS	Straight coupling	7.00 GS 25 S AISI 316TI
H000GS28LSS	Straight coupling	8.00 GS 28 L AISI 316TI
H000GS30SSS	Straight coupling	1.00 GS 30S AISI 316TI
H000GS42LSS	Straight coupling	3.00 GS 42 L AISI 316TI
H000GSS12S00001	Bulkhead coupling	19.00 GSS 12 S

KENZ ARTICLE CODE	DESCRIPTION	QTY. MANUFACTURER/ SUPPLIER DESCRIPTION
H000GSS15L00001	Bulkhead coupling	22.00 GSS 15 L + KM
H000GSS16S00001	Bulkhead coupling	22.00 GSS 16 S
H000GSS16S00001S5	Bulkhead coupling	6.00 GSS 16 S + KM AISI 316TI
H000GSS20S00001	Bulkhead coupling	17.00 GSS 20 S
H000GSS22L00001	Bulkhead coupling	6.00 GSS 22L + KM
H000GSS22L00001S5	Bulk head coupling	2.00 GSS 22L AISI 316
H000GSS25S00001	Bulkhead coupling	23.00 GSS 25 S
H000GSS28L00001S5	Bulkhead Coupling	1.00 GSS28L+KM AISI 316T
H000GSS30S00001	Bulkhead coupling	13.00 GSS 30 S + KM
H000GSS35L00001	Bulkhead coupling	15.00 GSS 35 L + KM
H000GSS38S00001	Bulkhead coupling	13.00 GSS 38 S + KM
H000GSS42L00001	Bulkhead coupling	20.00 GSS 42 L + KM
H000HYST-0015	Hydr. N2 Accumulator testkit	2.00 HYDRO TESTKIT ACC.HYST-0015
H000MP1/4SS	Measurement point	6.00 1/4", 315 bar AISI 316 TI
H000P2DN25SS	Socket for hose coupling	8.00 (AISI 316TI) Aeroquip, PH-P2-DN25
H000P3DN20SS	Socket for hose coupling	3.00 (AISI 316TI) Aeroquip, PH-P3-DN20
H000PF2DN40	Socket for hose coupling	12.00 (AISI 316TI) PF2-DN40 (14000-24)
H000PF4DN12	Socket for hose coupling	10.00 (AISI 316TI) PF4-DN12 (14001-08)
H000PF4DN20	Socket for hose coupling	12.00 (AISI 316TI) PF4-DN20 (14001-12)
H000PF4DN25	Socket for hose coupling	4.00 (AISI 316TI) PF4-DN25 (14001-16)
H000PF4DN32	Socket for hose coupling	2.00 (AISI 316TI) PF4-DN32 (14001-20)
H000PF5DN12	Socket for hose coupling	3.00 (AISI 316TI) PF5-DN12 (23000-08)
H000PF5DN16	Socket for hose coupling	8.00 (AISI 316TI) PF5-DN16 (23000-10)
H000PF5DN20	Socket for hose coupling	2.00 (AISI 316TI) PF5-DN20 (23000-12)
H000PF6DN25	Socket for hose coupling	7.00 (AISI 316TI) PF6-DN25 (23000-12)
H000PIECLIP50	Clip for pipe 50mm heavy model	16.00 HEBU ART.NR.390128
H000PIECLIP60	Clip for pipe 60mm heavy model	4.00 HEBU ART.NR.390133
H000PRO6L-316	Profile ring	12.00 According DIN 3861 -06L AISI 316TI
H000REDR1/2002	Reducing adaptor	16.00 RED-R 1/2-WD/R 3/4
H000REDR1/2003	Reducing adaptor	20.00 RED R 1/2-WD-R 1
H000REDR10003	Reducing adaptor	19.00 RED-R 1" -WD/R 3/4
H000REDR10004	Reducing adaptor	5.00 RED-R 1" -WD/R 1 1/4
H000REDR10005	Reducing adaptor	9.00 RED-R 1" -WD/R 1 1/2
H000REDR11/2002	Reducing adaptor	5.00 RED-R 1 1/2-WD/R1
H000REDR11/2003	Reducing adaptor	5.00 RED-R 1 1/2-WD/R 1 1/4
H000REDR11/201	Reducing adaptor	11.00 RED R 1 1/2-WD/R 1/2
H000REDR11/4001	Reducing adaptor	1.00 RED R 1 1/4-WD-R 1 1/2
H000REDR11/4002	Reducing adaptor	19.00 RED-R 1 1/4-WD/R 3/4
H000REDR11/4003	Reducing adaptor	3.00 RED-R 1 1/4-WD/R 1
H000REDR11/4003SS	Reducing adaptor	1.00 RED-R1 1/4"-WDR 1" AISI 316
H000REDR2"-5/4"	Reducing adaptor	3.00 RED-R 2"-WD/R 5/4"
H000REDR3/4004	Reducing adaptor	18.00 RED-R 3/4-WD/R 1
H000REDR3/4005	Reducing adaptor	15.00 RED-R 3/4-WD/R 1 1/4
H000REDR3/4005SS	Reducing adaptor	3.00 RED-R 3/4-WD/R 1 1/4 AISI316L
H000REDR3/4006	Reducing adaptor	15.00 REDR 3/4-WD-R 1 1/2"
H000REDR3/4-1/2SS	Reducing fitting	1.00 REDR 3/4"-1/2" AISI 316 TI
H000REDR5/4-1/2SS	Reducing adaptor	3.00 REDR 5/4"-1/2" AISI 316 TI
H000REDS18/15LSS	Reducing fitting	5.00 REDSD 18/15 L AISI 316TI
H000REDS22/10L	Reducing coupling	15.00 REDSD 22/10 L
H000REDS22/10LSS	Reducing fitting	1.00 REDSD 22/10 L AISI 316 TI
H000REDS22/15LSS	Reducing fitting	3.00 REDSD 22/15 L AISI 316L
H000REDS28/10LSS	Reducing Fitting	2.00 REDSD28/10LSS AISI 316L
H000REDS28/15LSS	Reducing fitting	2.00 REDSD 28/15 L AISI 316TI
H000REDS30/08S	Reducing Fitting	20.00 REDSD 30/08 S
H000REDS38/08S	Reducing fitting	19.00 REDSD 38/08 S
H000RS15L	Non return Valve	17.00 RS 15 L
H000RS15L-3	Non return Valve	15.00 RS 15 L with 3 bar spring
H000RS28L	Non return Valve	7.00 RS 28 L
H000RS28LSS	Non return Valve	1.00 RS 28 L AISI 316 TI
H000RS30S	Non return Valve	18.00 RS 30 S
H000RS35L	Non return Valve	7.00 RS 35 L
H000RS42L	Non return Valve	8.00 RS 42 L
H000RSV10LR001	Non return Valve	18.00 RSV 10 LR-WD (1/4"BSP)
H000RSV10LR001S5	Non return valve	5.00 RSV 10LR-WD(1/4") BSP AISI 316
H000RSV10SR001	Non return Valve	17.00 RSV 10 SR-WD (3/8"BSP)
H000RSV15LR001	Non return Valve	16.00 RSV 15 LR-WD (1/2"BSP)
H000RSV20SR001	Non return Valve	12.00 RSV 20 SR-WD (3/4"BSP)
H000RSV22L001S5	Non return valve	1.00 RSV 22LR-WD (3/4 BSP) AISI 316
H000RSV22LR001	Non return valve	8.00 RSV 22 LR-WD (3/4 BSP)
H000RSV28LR001	Non return Valve	9.00 RSV 28 LR-WD (1"BSP)
H000RSV30SR001	Non return valve	4.00 RSV 30 SR-WD (1 1/4"BSP)
H000RSV35LR001	Non return Valve	8.00 RSV 35 LR-WD (1 1/4"BSP)
H000RSV38SR001	Non return Valve	6.00 RSV 38 SR-WD (1 1/2"BSP)
H000RSV42LR1-1/2	Non return Valve	7.00 RSV 42 LR-WD (1 1/2" BSP)
H000RSWS08LM01	Banjo coupling, one-piece bolt	7.00 RSWS 08 LM (M12)
H000RSWS08LM12	Banjo coupling, one-piece bolt	14.00 RSWS 08 LM (M12 x 1,5)
H000RSWS08LR02	Banjo coupling, one-piece bolt	6.00 RSWS 08 LR (1/4"BSP) AISI316
H000RSWS12LM16	Banjo coupling, one-piece bolt	16.00 RSWS 12 LM-WD (M16x1,5)
H000RSWS12LR01	Banjo coupling, one-piece bolt	17.00 RSWS 12 LR (1/4"BSP)
H000RSWS12LR02	Banjo coupling, one-piece bolt	14.00 RSWS 12 LR (3/8"BSP)
H000RSWS12SR-WD	Banjo coupling, one-piece bolt	20.00 RSWS 12 SR (3/8" BSP) WD
H000RSWS15LR01	Banjo coupling, one-piece bolt	15.00 RSWS 15 LR (1/2"BSP)
H000RSWS16SR01	Banjo coupling, one-piece bolt	21.00 RSWS 16 SR (1/2"BSP)
H000RSWS20SR01	Banjo coupling, one-piece bolt	18.00 RSWS 20 SR (3/4"BSP)
H000RSWS22LR01	Banjo coupling, one-piece bolt	9.00 RSWS 22 LR (3/4"BSP)
H000RSWS25SR01	Banjo Coupling, one-piece Bolt	9.00 RSWS 25 SR (1" BSP)
H000RSWS28LR01	Banjo coupling, one-piece bolt	8.00 RSWS 28 LR (1"BSP)
H000RSWS30SR01	Banjo coupling, one-piece bolt	10.00 RSWS 30 SR (1 1/4" BSP)
H000RSWS38SR01	Banjo coupling, one-piece bolt	6.00 RSWS 38 SR (1 1/2" BSP)
H000RSZ10LR0001	Non return Valve	11.00 RSZ 10 LR-WD (1/4"BSP)
H000RSZ12SR0001	Non return Valve	14.00 RSZ 12 SR-WD (3/8"BSP)
H000RSZ15LR0001	Non return Valve	22.00 RSZ 15 LR-WD (1/2"BSP)
H000RSZ20SM0001	Non return Valve	3.00 RSZ 20 SM-WD (M27x2)
H000RSZ20SR0001	Non return Valve	7.00 RSZ 20 SR-WD (3/4"BSP)
H000RSZ22LR0001	Non return Valve	11.00 RSZ 22 LR-WD (3/4"BSP)
H000RSZ25SM0001	Non return Valve	9.00 RSZ 25 SM-WD (M33)
H000RSZ25SR0001	Non return Valve	7.00 RSZ 25 SR-WD (1" BSP)
H000RSZ28LR0001	Non return Valve	2.00 RSZ 28 LR-WD (1" BSP)
H000RSZ35LR 1	Non return valve	6.00 RSZ35LR-WD (1 1/4"BSP)
H000RSZ38SR001	Non return valve	8.00 RSZ 38 SR-WD (1 1/2" BSP)
H000RSZ42LR0001	Non return Valve	5.00 RSZ 42 LR-WD (1 1/2" BSP)
H000SFL61.1SHDN2590SS	Hose coupling (AISI 316TI)	5.00 SFL6 1.1-SH-DN25 90degr. (34918-16-16), 1"SAE(6)
H000SFL61.1SHDN25SS	Hose coupling (AISI 316TI)	6.00 SFL6 1.1-SH-DN25 (34218-16-16), 1"SAE(6)
H000SFL634DN2090SS	Hose coupling (AISI 316TI)	2.00 SFL6 3.4-DN20 90degr. (20918-12-12), 3/4"SAE(6)

KENZ ARTICLE CODE	DESCRIPTION	QTY. MANUFACTURER/ SUPPLIER DESCRIPTION
H000SFL634DN20SS	Hose coupling (AISI 316TI)	10.00 SFL6 3.4-DN20 (20218-12-12), 3/4"SAE(6)
H000SMORINGM5/0,8	Orifice	12.00 Hexagon Socket Set Screw M5-0.8mm
H000SMORINGM8/12	Orifice	3.00 RR 1,0 M8x1,25
H000SMORINGM5/0,3	Orifice	22.00 SOLEX M5/0,3 -73801030
H000SMORINGM5/0,35	Orifice	5.00 SOLEX M5/0,35 -73801030
H000SMORINGM5/0,4	Orifice	20.00 SOLEX M5/0,4 -73801040
H000SMORINGM5/0,65	Orifice	8.00 SOLEX M5/0,65
H000SMORINGM5/0,8	Orifice	14.00 SOLEX M5/0,8 - ART.NR.73801080
H000SMORINGM5/0,85	Orifice	11.00 SOLEX M5/0,85
H000SMORINGM5/1,1	Orifice	4.00 SOLEX M5/1,1 -73801110
H000SMORINGM5/1,2	Orifice	10.00 SOLEX M5/1,2 -73801120
H000SMORINGM5/1,3	Orifice	9.00 SOLEX M5/1,3 -73801130
H000SMORINGM5/1,4	Orifice	9.00 SOLEX M5/1,4 -73801140
H000SMORINGM5/1,475	Orifice	2.00 SOLEX M5/1,475
H000SMORINGM5/1,5	Orifice	15.00 SOLEX M5/1,5 -73801150
H000SMORINGM5/1,55	Orifice	11.00 SOLEX M5/1,55
H000SMORINGM5/1,6	Orifice	20.00 SOLEX M5/1,6 -73801160
H000SMORINGM5/1,7	Orifice	5.00 SOLEX M5/1,7 -73801170
H000SMORINGM5/1,8	Orifice	20.00 SOLEX M5/1,8 -73801180
H000SMORINGM5/1,9	Orifice	8.00 SOLEX M5/1,9 -73801190
H000SMORINGM5/2,0	Orifice	17.00 SOLEX M5/2,0 -73801200
H000SMORINGM5145	Orifice	2.00 SOLEX M5/1,45
H000SMORINGM5175	Orifice	5.00 SOLEX M5/1,75
H000SMORINGM5975	Orifice	4.00 SOLEX M5/0,975
H000SMORINGMU/0,4	Orifice	6.00 REXROTH R900001087, M4/0,4, Duese 0.4 M4x7 RN115.38
H000SMORINGMU/0,5	Orifice	21.00 REXROTH R900006654, M4/0,5, Duese 0,5 M4x7 RN115.38
H000SMORINGMU/0,6	Orifice	12.00 REXROTH R900006739, M4/0,6, Duese 0.6 M4x7 RN115.38
H000SNV16SS5	Connection cone straight	3.00 SNV 16S AISI 316TI
H000SNV20S/12S	Reducing cone straight 20/12S	21.00 SNV 20/12 S
H000SNV20S/18L	reducing cone straight 20S/18L	20.00 SNV20S/18L
H000SNV20S-SS	Connention cone str - SS	2.00 SNV 20S AISI316
H000SNV25S/20S	Reducing cone straight 25/20S	19.00 SNV 25/20 S
H000SNV35L	Connection cone straight 35L	23.00 SNV 35L
H000SNV38S	Connection cone straight 38S	22.00 SNV 38S
H000SNV42L	Connection cone straight42L	23.00 SNV 42L
H000SNV42L/38S	Reducing cone straight 42L/38S	21.00 SNV 42L/38S
H000SUBPG1/4"-1/R-P	Subplate	4.00 G1/4 -1/R-P
H000SUBPG174/01-1"	Subplate	1.00 G174/01 (1" BSP)
H000SUBPG341/01-1/4"	Subplate	3.00 G341/01-1/4" (R900424447)
H000SUBPG409/01-1"	Subplate	4.00 G409/01 (G1") (R900435663)
H000SUBPG411/01-11/2"	Subplate	1.00 R900439106 G411/01 (11/2" BSP)
H000SUBPG413/01-1"	Subplate	1.00 G413/01 (1" BSP, R900440431)
H000SUBPG502/01-1/2"	Subplate	3.00 G502/01 (G1/2") (R900455110)
H000SUBPG534/01-3/4"	Subplate	2.00 Form A10 DIN 24 340, G534/01 (G3/4")
H000SUBPG535/01-3/4"	Subplate	1.00 G535/01 (G3/4") (R900476061)
H000SUBPG546/01-1/2"	Subplate	10.00 G546/01 (G1/2") (R900411117)
H000-TBL603603	T-block 1"SAE 6000 psi	2.00 T-BL-603-603
H000TS10LSS	Equal T coupling SS	19.00 TS 10 L AISI 316TI
H000TS15L	Equal T coupling	22.00 TS 15 L
H000TS15LSS	Equal T coupling	5.00 TS 15 L AISI 316TI
H000TS16SSS	Equal T coupling SS	2.00 TS 16 S AISI 316TI
H000TS20S	Equal T coupling	21.00 TS 20 S
H000TS20SSS	Equal T coupling SS	1.00 TS 20 S AISI 316TI
H000TS22L	Equal T coupling	12.00 TS 22 L
H000TS25S	Equal T coupling	22.00 TS 25 S
H000TS25SSS	Equal T coupling	5.00 TS 25 S AISI 316TI
H000TS28LSS	Equal T coupling	1.00 TS 28 L AISI 316TI
H000TS35L	Equal T coupling	17.00 TS 35 L
H000TS38S	Equal T coupling	9.00 TS 38 S
H000TS42L	Equal T coupling	12.00 TS 42 L
H000VSD10L/501SS	Blanking plug RVS 316	11.00 VSD 10L/5 AISI 316
H000WFS10L-35	Elbow flange coupling	4.00 WFS 10 L-35
H000WFS15L-35	Elbow flange coupling	15.00 WFS 15 L-35
H000WFS15L-40	Elbow flange coupling	14.00 WFS 15 L-40
H000WFS16S-35	Elbow flange coupling	13.00 WFS 16 S-35
H000WFS22L-40	Elbow flange coupling	3.00 WFS 22 L-40
H000WFS28L-40	Elbow flange coupling	11.00 WFS 28 L-40
H000WS10LSS	Equal Elbow coupling SS	17.00 WS 10 L AISI 316TI
H000WS12LSS	Equal Elbow coupling SS	8.00 WS 12 L AISI 316TI
H000WS15LSS	Equal Elbow coupling SS	14.00 WS 15 L AISI 316TI
H000WS16SSS	Equal Elbow coupling SS	4.00 WS 16 S AISI 316TI
H000WS20SSS	Equal Elbow coupling SS	2.00 WS 20 S AISI 316TI
H000WS25S	Equal Elbow coupling	20.00 WS 25 S
H000WS25SSS	Equal Elbow coupling SS	8.00 WS 25 S AISI 316TI
H000WS28L	Equal Elbow coupling	15.00 WS 28 L
H000WS30S	Equal Elbow coupling	18.00 WS 30 S
H000WS30SSS	Equal Elbow coupling	3.00 WS 30 S AISI 316TI
H000WS35L	Equal Elbow coupling	10.00 WS 35 L
H000WS38S	Equal Elbow coupling	13.00 WS 38 S
H000WS42LSS	Equal Elbow coupling	3.00 WS 42 L AISI 316TI
H000WSS10L	Bulkhead Elbow coupling	20.00 WSS 10 L + KM
H000WSS12L	Bulkhead Elbow coupling	16.00 WSS 12 L
H000WSS15L	Bulkhead Elbow coupling	12.00 WSS 15 L
H000WSS25S	Bulkhead Elbow coupling	18.00 WSS 25 S
H000WSS28L	Bulkhead Elbow coupling	7.00 WSS 28 L
H000Z38000-24	Hose coupling for GH466-24	22.00 for 1.5" 100R13 hose (GH466-24) art. no. Z38000-24
H010-M2A10GVT001	Valve Amplifier	6.00 VT20005-1X/2-4 for DRE10-5X
H010-VOITH	Hydraulic pump	1.00 HYDRO PUMP / IPHS-64-110
H020DAMPPLUNAGVM55HD	Damped Plunger	2.00 for A6VM-55-HD1D (2014015)
H020DAMPPLUNAGVMHD1E	Damped Plunger	4.00 for A6VM-HD1E (921870)
H020DW80/40/1000	Cylinder DW80/40 slag 1000mm	1.00 Cylinder DW80/40 slag 1000mm
H021-DKOL15-A-DN12	15L Hose Coupling SS 45°	10.00 For GH793-08, PH-DKOL15-A-DN12
H021-DKOL22-B-DN19	22L Hose Coupling SS 90°	6.00 1A20DLB12 SS
H021-DKOL22-D19	22L Hose Coupling SS	6.00 1A20DL12 SS
H021-DKOL42-A-DN40	42L Hose Coupling SS 45°	2.00 For GH793-24, PH-DKOL42-A-DN40
H021-DKOL42-B-DN40	42L Hose Coupling SS 90°	8.00 For GH793-24, PH-DKOL42-B-DN40
H021-DKOS12-B-DN10	12S Hose Coupling SS 90°	7.00 For 2755-06, PH-DKOS12-B-DN10
H021-DKOS12-DN10	12S Hose Coupling STR.	17.00 For 2755-06, PH-DKOS12-DN10
H021-DKOS25-B-DN20	25S Hose Coupling SS 90°	5.00 For 2755-12, PH-DKOS25-B-DN20
H021-DKOS25-DN19	25S Hose Coupling STR. SS	11.00 41.721-25-12 SS
H021-I-DKOS30-B-DN25	30S Hose Coupling SS 90°	4.00 For GH506-1, PH-I-DKOS30-B-DN25
H021-I-DKOS30-DN25	30S Hose Coupling STR.	8.00 For GH506-16, PH-I-DKOS30-DN25
H021-I-DKOS38-A-DN32	38S Hose Coupling SS 45°	6.00 For GH506-20, PH-I-DKOS38-A-DN32
H021-I-DKOS38-B-DN32	38S Hose Coupling SS 90°	3.00 For GH506-20, PH-I-DKOS38-B-DN32

KENZ ARTICLE CODE	DESCRIPTION	QTY. MANUFACTURER/ SUPPLIER DESCRIPTION
H420-DHAK22205400030	Pressure relief valve	2.00 DBDS20K1X/400, Set by supplier at 400 bar
H420-DHAK22205400050	Pressure relief valve	1.00 DBDS20K1X/315, Set by supplier at 175 bar
H420-DHDK315205-000	Pressure relief valve	2.00 DBDS20G1X/315 (R900424174)
H420-DHDK400205-001	PTFE Ring	18.00 Dinw. 35mm, Duitw. 40mm dikte 1mm (for DBDS20) refer ODV no: 27090011-24664
H420-DHDK50065-010	Pressure relief valve	2.00 DBDS6K1X/50 (R900423727), set by supplier at 50 bar
H420-DMAK21305100010	Pressure relief valve	1.00 DB4E-01X-100V50
H420-MH10BN050-010	Pressure relief valve	1.00 MH10BN16k2-1X/420M
H420-PHDS2225-020	Pressure relief valve	1.00 DB202-5X/200Y
H420-SAF330	Pressure relief valve	1.00 330 bar for SAF block (3108635)
H420-SS-4R3A5	Pressure Relief Valve (N2)	2.00 SS-4R3A5 (delivered with white spring) 227BAR HYDRAUDYNE
H421-DBW20A315Y-200	Pressure relief valve	2.00 DBW20A2-5X/315Y56G24NEX22R12 set by supplier @ 200 bar
H421-DBW30A315Y-010	Pressure relief valve	1.00 DBW30A2N5X/315Y56G24N9DLR12
H428-SS-4R3A5-RT-010	Nitrogen Pressure Relief Valve	2.00 Nupro SS-4R3A5-RT
H428-SS-4R3A5-RT-8LU	Blue spring kit	2.00 for R3A relief valve 177-R3A-K1-A (3.4-24 bar adjustment)
H428-SS-4R3A5-RT-BRO	Brown spring kit	2.00 for R3A relief valve 177-R3A-K1-E ((155-206 bar adjustment)
H430-DHAS315/10-010	Sequence Valve	2.00 R900597715 DZ 10 2-5X/315YM
H430-DHGRAMPC001	Sequence Valve	2.00 V-5640-1 (art nr. 1116847) for diesel engine starter system
H430-DHGRAMPC002	Starter Motor hose assy	1.00 HSHOSE001 (connection starter - seq. valve)for D64C Starter
H430-DHGRAMPC003	Starter Motor hose assy	2.00 HSHOSE002 (connection starter - seq. valve) for D65C Starter
H430-D26DP2-010	Sequence Valve	2.00 D26DP2-5X/25XY
H430-D26DP2-020	Sequence Valve	2.00 D26DP2-5X/150XY R900413834
H430-SOFSTARTENGAGEM	Soft Start Valve	3.00 KTI Soft Engagement Valve VD3339C
H440-3DREP6C-010	Pressure Reducing Valve	1.00 3DREP6C-2X/25G24N9K4/V art.no. R90029529 RD 29184
H440-3DREP6C-030	Pressure control valve	3.00 3DREP6C-1X/25A24NK4M
H440-DR10G350-315	Pressure Reducing Valve	2.00 DR10G5-5X/350YM set by supplier @ 315 bar
H440-VRPC-010	Pressure Reducing Valve	1.00 VRPC-150 05.90.33-03-03-20 set @ 60 bar (1/2" housing)
H440-VRP-RVU-010	Pressure Reducing Valve	1.00 VRP-R-VU 05.90.19-03-02-02 (Pmax. 210 bar, adj. 2-21 bar)
H440-ZDR6DA2-010	Pressure reducing valve	1.00 ZDR6DA2-4X/150Y (R900410849) set by supplier @ 95 bar
H450-4010/45-248	Closed loop flushing valve	1.00 R909609283 (10 l/min) modified for hoist winch application
H500-2FR55R4W55S	Flow Control Valve	1.00 2FR 55 R4W 55S
H500-DMAT0010	Throttle Valve 1/4"	5.00 DV-08-07 X/0* -397440
H500-DMAT0013	Throttle Valve 3/8"	4.00 DV-10-07-1/0 G 3/8" (397441)
H500-DMAT0015	Throttle Valve 1/2"	3.00 DV-12-07 X/0* (397442)
H500-DMAT0030	Throttle Valve 1/4"	7.00 DV-08-01 1/0 (705014)
H500-DMAT0040	Throttle/Check Valve 1/4"	18.00 DRV-08-07/0*P (397443)
H500-DMAT0050	Throttle/Check Valve 1/8"	9.00 DRV-06-01 X/0 (705502)
H500-DMAT0053	Throttle/Check valve 3/8"	20.00 DRV-10-0.1X/0 G 3/8" (7055689)
H500-DMAT0065	Throttle Valve	1.00 DRV-08-1.1/0-P
H500-SB29H-65	Flow Control Valve	15.00 SB29H-65 l/min (9306726)
H500-SB35H-70	Flow Control Valve	1.00 SB35H-70 l/min
H500-SB39H-150	Flow Control Valve	1.00 SB39H-150 l/min
H500-VRFC3/V/12/A	Flow Control Valve	5.00 VRFC 3/V12/A
H510-032FB400B06-010	Motion Control Valve	1.00 FD32FB2X/400B06 V (set by supplier @ 400 bar)
H510-LB2F-50	Hose rupture valve	11.00 LB2F-50 l/min (HAWE)
H510-MHB105-010	Motion control valve	1.00 MHB105FM1X/00U31515V15 (R900509536) set by supplier @ 300 bar
H510-MHRB22D-242	Hose rupture valve	2.00 MHRB22LGA3X/Dxxxx300V18 (id.no. ?), flow: up/down 173/66 l/min through MO..
H510-VBSO-DE30-010	Brake valve + Steel housing	2.00 L613600AB3500 (NG6 Sandwich type for emergency slewing system)
H510-VBSO-DE30-011	NG06 Sandwich shuttle valve	3.00 AMS35H001 (Steel housing)
H510-VBSO-SE-015	Counterbalance Valve	1.00 A-VBSO-SE-CCAP-33-FC.MOD (08.45.74.03.72.35MOD) incl. steel housing (3/4")
H520-SauerG3 (art. nr. 512389)	Flushing Valve	1.00 Sauer serie 51 motor Flushing valve type: G3, cracking pressure 16 Bar, 27 ltr. min.
H520-VRFC2-010	Pressure compensated flow	2.00 null
H530-03005AE20-400	Flow sensor	2.00 EVS-3100, 15-300 l/min, 1.1/4" BSP, max.400bar, 24V, 4-20mA + connec
H530-DAK1103010	Flow indicator (site glass with flap)	1.00 Kobold type DAK-1103H-R15
H540-VRFC2OMB2037003	Flow control valve	1.00 VRFC2 OM.B2.03-70-03 (Uitvoering in Staal)
H590-CTSC030800	Plug in orifice	5.00 0.8mm for in service ports of NG6 dir. control valve (Cetop 3)(R900152065)
H590-CTSC031000	Plug in orifice	22.00 1.0mm for in service ports of NG6 dir. control valve (Cetop 3)
H590-CTSC031500	Plug in orifice	11.00 1.5mm for in service ports of NG6 dir. control valve (Cetop 3)
H590-CTSC050500	Plug in orifice	5.00 0.5mm for in service ports of NG10 dir. control valve (Cetop 5)
H590-CTSC051000	Plug in orifice	3.00 1.0mm for in service ports of NG10 dir. control valve (Cetop 5)
H590-CTSC051500	Plug in orifice	4.00 1.5mm for in service ports of NG10 dir. control valve (Cetop 5)
H590-CTSC052000	Plug in orifice	5.00 2.0mm for in service ports of NG10 dir. control valve (Cetop 5)
H590-TBSM100000	Closed orifice for pump	10.00 RR, ident no. R909831349 (N10-0mm)
H590-THSM061500	Orifice	8.00 for RR LFA40GWA-7X/ Cartridge cover M6-1.5mm (00148823)
H590-THSM100500	Orifice	4.00 M10x1.5 (8mm long) with hole 0.5 mm
H610-1140/P25P	filter element	1.00 1.140/P25P
H610-1225/4H20LLV	Filter element	1.00 1.225/4H20LLV
H610-COININ-010	Filter contamination indicator	1.00 VM 2 D.0/-L24 (max. working pressure 210 bar)
H610-CS0016/0010/01E	Control Circuit Filter Element	5.00 G01369Q, for filter 0 16P-1 10B M50 B2B2- PARKER
H610-FRH116/0030-010	Filter + element	10.00 FRH300116 COMPLETE + ELEMENT
H610-INVDSGC.0/SQ123	Filter Contamination Indicator	1.00 VDS GC.0/-SQ 123 (1266684)
H610-PS0056/0010-02E	Filter element	8.00 1.561P10P-A00-O-P
H610-PS0060/0010-02E	Pressure Line Filter Element	3.00 0060 D 010 BN4HC (1250487)
H610-PS0160/0010-01E	Pressure Line Filter Element	1.00 0160 D 010 BN4HC (1250490)
H610-PS0160/0010-020	Pressure Line Filter	1.00 LF BN/HC 160 G 10 B 1.0/-/B6
H610-PS0160/0010-02E	Pressure Line Filter Element	1.00 0160 D 003 BN4HC (1260904)
H610-PS0160/0010-090	Pressure Line Filter	1.00 DF BN/HC 160 G 10 GC.0 1.0/-/B6-SQ-123
H610-PS0280/0003-01E	Pressure Line Filter Element	2.00 0280 D 003 BN4HC (1260906)
H610-PS0280/0010-040	Pressure Line Filter	1.00 DF BN/HC 280 G 10 B 1.1/-/B6 (312714)
H610-PS0330/0010-02E	Filter Element	2.00 0330 D 100 W/HC (303823)
H610-PS0468/GK10-01S	Filter element/ Gasket kit	4.00 PX0468 (Linkbelt)
H610-PS0660/0010-01P	Pop-up indicator	9.00 VM5B.1, art. 303192
H610-PS0660/0010-02P	Filter Contamination Indicator	1.00 VM5D 0/-L24
H610-PS0660/0010-100	Pressure Line Filter	2.00 DF BN/HC 660 G 10 B 1.0/-/B6
H610-PS0990/0010-02E	Pressure line filter element	7.00 0990 D010 BN4HC (1252898)
H610-RS0040/0003-01E	Return Filter Element	2.00 G04703 to suit filter 40RF1 03B P M1 50 YFR 1(SO)
H610-RS0050/0010-010	Return Line Filter	1.00 050RF1-103113211
H610-RS0050/0010-01E	Return Line Filter Element	20.00 G04721 (voorheen G02628) for filters 050RF110BM50YH91 /50VHH
H610-RS0165/0010-02E	Return Line Filter Element	1.00 0165 R 010 BN4HC (1262969)
H610-RS0330/0010-01E	Return Line Filter Element	4.00 0330 R 010 BN4HC (1262993)
H610-RS0660/0010-010	Return Line Filter	3.00 RF BN/HC 660 DN 10 ES 1.X (311047)
H610-RS0950/0010-010	Return line filter	6.00 RF BN/HC 950 D 0 10 B1.1/ (311766)
H610-RS1300/0003-01E	Return Line Filter	7.00 null
H610-RS1300/0010-010	Return Line Filter	1.00 type: RF BN/HC 1300 F 10 B1.1
H610-RS2225/0010-01E	Return line filter element	1.00 2.225H10XL-D00-O-P (voorheen: 2.225H10SL-D00-O-P en 2.225 H10 P)
H610-RS2600/0010-01P	Filter Contamination Indicator	2.00 VM2B.1
H610-RS2650/0010-01E	Return Line Filter Element	1.00 2600 R 010 BN4HC /-B6 (1263778)
H620-4010/61-261	Lube Oil/Air Cooler	1.00 According data sheet 20.261.05-4010/61 rev. A
H670-BFP7-010	Tank breather	1.00 BF P7G 10L E.O (310351)
H700-CSV06-12-010	Check valve	1.00 CSV06-311-B1, 026-67032-0
H700-CSV08-16-010	Check valve	8.00 CSV08-310-B1, 026-71477-0
H700-CSV10-20-010	Check valve	2.00 CSV10-310-B1, 026-71482-0
H700-CSV10-24-010	Check valve	9.00 CSV12-310-B1, (ident no hold)
H700-CSV12-24	Check valve	1.00 CSV12-311-B1, 026-67054-0
H700-RKVE-25	Check Valve	1.00 RKVE-25 (G1")

KENZ ARTICLE CODE	DESCRIPTION	QTY. MANUFACTURER/ SUPPLIER DESCRIPTION
H700-RV-20-010	Check valve	1.00 1" BSP, RV-20-01.X/0 (705841)
H700-RV-30-01.X/0	Check valve	1.00 1.5" RV-30-01.X/0-4.5bar (705903)
H700-RV-40-010	Check valve	1.00 2" BSP, RV-40-01.X/0 (705850)
H700-SAE32-010	Check valve	3.00 RVS/AE3/6-21-01 (170627720) (2"SAE3000/6000PSI) 0.5 bar
H700-SPRING-DN80	Spring for by-pass valve DN80	9.00 Tevema Article code TEVAMS-008544 (1600N, 3 bar veer)
H700-SPRING-DN80-02	Spring for by-pass valve DN80	3.00 Tevema Article code TEVAMS-009258 (1600N, 3 bar veer)
H710-300BSP08	Shuttle Valve (1/2")	7.00 VA/SE12, Steel (Oil Control, reference)
H710-300BSP12	Shuttle Valve (3/4")	2.00 VA/SE34, Steel (Oil Control, reference 020418)
H710-WRVCG-04	Shuttle Valve (1/8")	2.00 WRVCG-04 (1/8")
H710-WRVCG-06	Shuttle Valve (1/4")	12.00 WRVCG-06 (1/4")
H710-WV 125	Shuttle Valve	1.00 WV 125 HAWE
H800-03/330AB20-03B	Accumulator bracket	4.00 10157
H800-05/330AB-10250	Bracket	1.00 10250 for ASSP 330CG2
H800-10/330AG32-020	Bladder accumulator	1.00 SB330-10A1/112U-330A (3047172)
H800-20/310AG32-020	Bladder accumulator	1.00 SB330-20A1/112U-330A (3047174)
H800-32/330AG32-050	Bladder accumulator	1.00 SB330-32A1/112U-33A (3047176) N2 pre-charged @ 55 bar @ 20°C
H800-33/350AD10-01	Accumulator	2.00 D3.5-250-350-1315-013-611/10 bar N2
H800-50/330AG32-012	Accumulator adapter	4.00 G2A-G1" for SB330-20 ltr. accu (2124831)
H800-50/330AG32-02R	Support ring	6.00 for bladder accumulator D=210mm, G222 (artnr. 236996)
H800-50/330AG32-05S	Accumulator Sealkit	1.00 Article no: 353621 NBR*SB330/400 10-50L
H800-50/330AG32-070	Bladder accumulator	4.00 SB330-50A1/112W3-275A (332408) (Pmax. 275 bar acc. DNV-OS-201)
H800-QBBRP003	Accumulator Bracket	1.00 10410
H800-SB330-13A1002P1	Accumulator Bracket	7.00 Hyrac 223-230ST, 445048
H800-SB330-13A1002P2	Accumulator console	6.00 KBK 222 G, 2100651
H800-SB330-G3224	Adaptor for accumulator	1.00 G2"-1.5" (hydac no. 2105905)
H850-AC33SPO200-010	Accumulator Loading Valve	2.00 LT06-A06-3X/200840-02M (R900427595)
H850-GSDNBSPO50001	Bellow Compensator 2"	2.00 NG50 DN-50 2" SAE(3) 3000 PSI (132905 /) steel flange
H860-SAF20M12330A2	Accumulator Safety Block	1.00 SAF20M12330A-S12
H900-BKHDN13-010	Nitrogen Ball valve	3.00 BKH 16 S DN 13 3463 1
H900-BVCS04BSP001010	Ball Valve	7.00 BKH G 1/4" 04 1413 (outside)
H900-BVCS04BSP001020	Ball Valve	12.00 BKH G 1/4" 04 1113 (inside)
H900-BVCS08M16-030	Selector Ball Valve	1.00 4KH-10L-10-X-07 SO (1423)
H900-BVCS13BSP081010	Ball Valve	2.00 BKH G 1/2" 13 1413 (outside)
H900-BVCS13BSP081020	Ball Valve	4.00 BKH G 1/2" 13 1113 (inside)
H900-BVCS13BSP081030	Ball valve	1.00 BKH 16S 13 1413 (outside)
H900-BVCS20BSP121010	Ball Valve	14.00 BKH G 3/4" 20 1413 (outside)
H900-BVCS20BSP121020	Ball valve	6.00 BKH R 3/4" 20 BSP 1113 (inside)
H900-BVCS25BSP161010	Ball Valve	3.00 BKH G 1" 25 1413 (outside)
H900-BVCS25BSP161020	Ball Valve	3.00 BKH G 1" 25 1113 (inside)
H900-BVCS25BSP201030	Ball valve+position indicator	1.00 SKH G5/4" DN32 3123 1 + ESM
H900-BVCS25BSP201050	Ball valve	2.00 SKH G1.25" DN32 3123 1
H900-BVCS25BSP241040	Ball valve+position indicator	1.00 SKH G1.5" DN40 3123 1 + ESM
H900-BVCS25BSP241050	Ball valve	1.00 SKH G1.5" DN40 3123 1
H900-BVCS4KH-08	4/3 Ball valve	1.00 4KH G1/2" 13-T09 2423 1 (T-boring, schakelbeeld 09)
H900-BVCS4KH-08010	4/2 Ball valve	2.00 4KH G1/2" 13-X06 2423 1 (X-boring, schakelbeeld 06)
H900-BVSS32ASME150	Ball valve	15.00 Fig. 3216 CF8M/316 RF 150 2"
H900-GVBR24BSP001	Globe Valve	2.00 Globe valve inside BSP 1 1/2" Econsto fig.695
H900-SVSSPN162A 001	Slide valve brass	5.00 PN16-3/4" according Econosto fig. 290
H900-SVSSPN162A 002	Slide valve brass	10.00 PN16-1" according Econosto fig. 290
H910-SVBR16BSP	Slide valve brass	11.00 PN16-3/8" according Econosto fig. 290 A
H910-SVBR16BSP1/2	Slide valve brass	6.00 PN16-1/2" according Econosto fig. 290 A
H910-SVSS16BSP1/2	Slide valve RVS	4.00 RVS PN16 1/2" according Econosto fig. 3290
H920-BFSSPN080-050	Butterfly Valve with Handle	7.00 ALGD2B100R (10056473)
H920-BFSSPN100-012	Butterfly valve c/w handle	1.00 0840W-210E-HT-100 DN100 PN16 GGG/RVS/EPDM
H920-BFSSPN100-050	Butterfly Valve with Handle	1.00 AMGD02B100H (10056474)
H920-BFSSPN200-020	Butterfly valve c/w handle	1.00 0840W-210P-200 DN200 PN16 GGG/RVS/NBR
HAIR-RX318824	Ball valve	1.00 RX 3188 HMF RVS/PTFE BSP zh 1.5" (art. no. 11200696)
HVA0-MHVA12-010	Hydraulic valve Amplifier	2.00 MHVA12 B1X/G24F (R900569470)
HVA0-MHVD9-3FF1X	Hydr. Valve Amplifier Card	4.00 MHVD9-3FF1X/G24EEED01AE/IT, R900701645, U=24V, 100Hz !!
HVA0-PXP020	Hydraulic valve Amplifier	3.00 PAM-192-30-S1 suitable for control of Denison P*P pump (2 solenoids)
HVA0-VT010	Hydraulic valve amplifier	3.00 VT 11029-1X/ (R900010991) acc. RD 29741 (for A4VG/A6VM)
HVA0-VT040	Hydraulic valve amplifier	2.00 VT-MSPA1-1-1X/V0/O (R900702060) acc. RD 30223 (for DBET-6X/, OPS)
HVA0-VT050	Hydraulic valve Amplifier	1.00 VT 11031-2X/ (R900019641) acc. RD 29760 (for DRE4K)
HVA0-VT060	Hydraulic valve Amplifier	1.00 VT 11118-1X/ (R900211788) acc. RD 30218 (for 3DREP6C-2X)
HVA0-A4VGPUMP	Hydraulic Valve Amplifier Card	5.00 type: Rexroth MHVA21X/G24P (923500)
HVTVSPA111X01	Hydraulic valve Amplifier	2.00 VT-VSPA1-1-1X/
MBCAB-SW55-1-G55	Bolt Cap	10.00 SW55-1-G55/H20
MBCAB-SW55-3-G71	Bolt Cap	8.00 SW55-3-G71/H20
MBCAB-SW65G98	Bolt Cap	4.00 SW65-2-G98/H50
MBCAB-SW75G74	Bolt Cap	19.00 SW75-2-G74/H20
MBCAB-SW85G83	Bolt Cap	10.00 SW85-2-G83/H20
MBCAB-TSW75G143	Bolt Cap Telescopic	14.00 TSW75-2-G143
MBCAB-TSW85G130	Bolt Cap Telescopic	10.00 TSW85-2-G130
MBEAR-CLTB40	Plummerblock Housing + Parts	16.00 Bearing block CLTB40 Bosch Rexroth AG
MBEAR-SR-CELL140	Sealing Ring for Shaft	21.00 Ø140 mm, Cellasto acc. DS. KS1404/04
MBEAR-SR-CELL160	Sealing Ring for Shaft	10.00 Ø160 mm, Cellasto acc. DS. KS1404/04
MBEAR-SR-CELL180	Sealing Ring for Shaft	20.00 Ø180 mm, Cellasto acc. DS. KS1404/04
MBEAR-SR-CELL200	Sealing Ring for Shaft	12.00 Ø200 mm, Cellasto acc. DS. KS1404/04
MBEAR-SR-CELL220	Sealing Ring for Shaft	22.00 Ø220 mm, Cellasto acc. DS. KS1404/04
MBEAR-SR-CELL260	Sealing Ring for Shaft	16.00 Ø260 mm, Cellasto acc. DS. KS1404/04
MBEAR-SR-CELL280	Sealing Ring for Shaft	12.00 Ø280 mm, Cellasto acc. DS. KS1404/04
MBEARSY30TF YAR2062F	Plummerblock Housing + Parts	4.00 SY 30 TF - YAR 206-2F SKF LAGER
MCCBB-PA1-30/30	Cylindrical Collar Bearingbush	16.00 BEARING BUSH P-A1-30.30 F.GLID (art.code 3A1030030)
M-CHHO-05,0-06-01	Chain Hoist	2.00 SWL 3,5 t Chain hoist 6mtr lifting height
M-CRB030-055-034-001	Cylindrical Roller Bearing	1.00 SLO4 5006 PP
M-CRB060-095-046-001	Cylindrical Roller Bearing	4.00 SLO4 5012 PP
M-CRB065-100-050-001	Cylindrical Roller Bearing	4.00 SLO4 5013PPX
M-CRB080-125-060-001	Cylindrical Roller Bearing	1.00 SLO4 5016 PP
M-CRB100-150-067-001	Cylindrical Roller Bearing	1.00 SLO4 5020 PP C3
M-CRB100-150-067-003	Cylindrical Roller Bearing	8.00 SLO4 5020 PP
M-CRB110-170-080-002	Cylindrical Roller Bearing	5.00 SLO4 5022 PPX
MCS-0870-150-01	Drive shaft	1.00 Cardanshaft L=0870, Flange D=150 acc. DS 833/21 rev.A-966092
MCS-0885-150-01	Drive shaft	1.00 Cardanshaft L=0885, Flange D=150 acc. DS 833/21 rev. B 966071
MCYL1280-1000C02	Boomstop cylinder	1.00 Acc. dwg. S6115/41 + ceramic rod Ø60mm
MDC-DOOR-004	Door Bumper with Hook	12.00 Kroon art. nr. 375310
MDC-DOOR-007	Door Lock without key, Right	5.00 Kroon art. nr. 730541
MDC-DOOR-008	Door shield short, no keyhole	1.00 Kroon art. nr. 730220
MDC-DOOR-009	Door Lock without key, Left	8.00 Kroon art. nr. 730540
MDC-HATCH-02	Fork for Hatchcover	13.00 FORK M8 AISI316 FOR HATCHCOVER
MDC-HATCH-03	handnut for fork M8	19.00 Kroon M8-MS 768230
MDC-MIRR-01	Mirror	2.00 Autoparts Art. nr. 14047
MDC-PROF-03	Window rubber + cord	10.00 1025073105 + 1025073050 (voorheen: 22H1105 + pees 220A65)
MDC-TMPG000C01	Exhaust temp. gauge +15m cap.	1.00 VDO type N02321712 voor 10bar 24V
MDC-VENT-01	Ventilation	9.00 Vent.Rooster125x115 RVS304/ Kroon art. 393145

KENZ ARTICLE CODE	DESCRIPTION	QTY. MANUFACTURER/ SUPPLIER DESCRIPTION
MDC-VENT-02	Ventilation	9.00 Vent.Rooster rond 125 RVS304/ Kroon art. 393448
MDE06-0195C01P012	Tachometer 0-3000 rpm	1.00 VDO 333035010 (s/n 447.902-400-073075)
MDE06-0208C02P002	Lube Oil filter	3.00 23530407 (former no. 23518671)
MDE06-0366C01P001	Tachometer	1.00 for Detroit D. 6V-92TA, serialno. 6VF193842
MDG8B020-042-012-001	Deep Groove Ball Bearing	20.00 6004-RS1
MDG8B020-042-012-002	Deep Groove Ball Bearing	19.00 6004-2RS1 (2 RSH nieuwe codering)
MDG8B020-042-012-003	Deep Groove Ball Bearing	2.00 6003 2RS1
MDG8B090-140-024-001	Deep Groove Ball Bearing	1.00 NTN JAPAN 1H 6018 NR
MDG8B090-140-024-002	Deep Groove Ball Bearing	2.00 6018-RS1
MENCO-CABLE	Engine Controls	1.00 Stop Cable type 209200 L=6,0M
MENCO-STOPCABLE-008	Morse - Stop cable	1.00 Type RSH 209200L08000 (L=8,0m)
MENCO-TO-1200052-01	Water Temp Gauge 1/2"	2.00 zender 219003 + meter 219005, VDO 0-120 degr., Ø52mm
MEWMO-3000703093	Pendulum E-Wiper motor	6.00 00703093: 65008900 24VDC 30Nm, inc. 1 shaft
MEWMOREDD001	Worm gear reductor	1.00 VF49A7P80B14 + flange OMM120mm + Bus16/19mm + Single shaft VF49
MEYEBM16X08000044-G	Eye Bolt Din 444	9.00 M16 x 80 galvanised
MEYEBM8X100	Eye Bolt M8x100	12.00 Kroon M8x100-Ms 768030
MEYENM12000582-G	Eye Nut	23.00 M12-DIN 582-C15
MFLCO-06-639	Flexible Coupling	1.00 according data sheet 30.600.39-2210/20 rev. A (Reich, AC 6.1.F2.14.98)
MFLCO-09-292-1	Flexible Coupling	2.00 Centamax, CM-5000-14, Article No. 59387
MFLCO-272-003	Flexible Coupling	4.00 Rotex GS 24, 1 boring rd 16H7, 1 boring rd 20H7
MFLC-EDR-A001	Flexible Coupling	2.00 type Reich: AC8 NT-F2 18.99.SAE.0 => as=W60x2 din 5480
MFLGK-0001	Gasket	22.00 4" NBR / 162x115x1,5
MGE8272-001	Gearbox	4.00 HAF32 met i=50 (voorzien van flens rd120mm)
MGEBO01C002	Gearbox	2.00 Axisgear Type T3113 (3 assen, 1:1, kastgrete 3)
MGEBO01C002P003	Oil compensation tank	2.00 incl. aerating filter, 0,9 ltr, level glass, 3/8" connection
MGEBO04C002	Gearbox	8.00 Adapter 1:3 Artrn. K1032.01.01 W= 0.362
MGEBO07C001	Gearbox H.D. Cable	3.00 H.D. Cable O.D.13mm L=6000mm Acc. dwg. 4107-2
MGEBO07C002	Gearbox H.D. Cable	10.00 H.D. Cable O.D.13mm L=9000mm Acc. dwg. 4107-2
MGEBO98C001P001	Sealsset for Corner Gearbox	3.00 Stiebel type 6108 i=1:1 (986.102)
MGEBO98C003P001	Sealsset for Trolley Gearbox	2.00 Stiebel type F1617 i=110:1 (986.102)
MGRNPBLOCK-LGT135	Grease Nipple Block	22.00 L=135 - 4x gat ¼" BSP
MGRNPBLOCK-LGT285	Grease Nipple Block	9.00 L=285 - 10x gat ¼" BSP
MGRNP8SP14000340AS	Grease Nippel	3.00 Grease nipple 1/4" BSP 180° A2 (Artrn.15590 of R&S Hydrauliek mat:1.4571)
MGRNP8SP14003404AS	Grease Nippel	6.00 Grease Nipple G1/4" 180GR (Vlakke smeernippel, Clip-On_DIN3404) A4 (316) 4141762
MGTROL-05_0-001	Girder Trolley	2.00 Duwkat SWART PTM-050
MROSO-OW016_0-01	Open Wedge Socket for 22mm	1.00 K' serie, 54-906 met gat 41mm (7/8"), inc. moerbout & spie
MROSO-OW065_0-02	Open Wedge Socket	4.00 GH54-909, 1 1/4", Ø55mm pin for 30-32mm rope + mmPin & Nut
MSATB008-008-008-001	Self Aligning Thrust Bearing	2.00 Stainless steel rod end M8 female SKF SRIK8 8 VG
MSATB008-008-008-002	Self Aligning Thrust Bearing	4.00 Stainless steel rod end M8 female Brammer SDF 8 SS
MSATB090-130-060-001	Self Aligning Thrust Bearing	2.00 GE 90 DO-2RS
MSATB100-150-070-002	Self Aligning Thrust Bearing	2.00 GE 100 DO-2RS
MSATB160-230-105-001	Self Aligning Thrust Bearing	1.00 GE 160 UK-2RS
MSATB180-260-130-002	Self Aligning Thrust Bearing	1.00 GE 180 DO-2RS
MSATB200-290-130-001	Self Aligning Thrust Bearing	4.00 GE 200 UK-2RS
MSEAL107-61-1,5	Oil seal 2"	5.00 107X61X1,5mm selecta 280 nw50
MSEAL142-90-1,5	Oil Seal 3"	2.00 142 x 90 x 2 mm Selektta 280
MSEAL155-165-14-002	Oil Seal	6.00 Type V160A for shaft 155-165
MSEAL180-196-14-001	Oil Seal V-Ring	3.00 V-ring vlakke rug NBR1360 V-199 A, for shaft 195-210, Eriks artikel 10014232
MSEAL180-210-25-001	Oil Seal	16.00 V-ring vlakke rug NBR1360 V-200 A, for shaft 190-210, Eriks artikel 10014233
MSEAL180-215-15-001	Oil Seal	2.00 E-Mst 180 x 215 x 15
MSEAL218-170-2	Oil Seal 6"	7.00 218 x 170 x 2 mm Selektta 280
MSEAL323-298-12-001	Oil Seal	4.00 R-split 298 x 323 x 12,5
MSHEA0240-11-45-007	Sheaves	1.00 acc. dwg. 2131/32 - P294N001
MSHEA0630-13-45-001	Sheaves	1.00 Acc. dwg. 2132/32 - 30.600.39
MSHEA0630-13-45-002	Sheaves	1.00 Acc. dwg. 2132/30 - 30.600.39
MSHEA0630-16-45-029	Sheaves	8.00 Luffing Sheave Acc. dwg 2121/30
MSHEA1330-36-45-001	Main hoist sheave c/w bearing	1.00 Acc. dwg. 4104/01 - 976111
MSL8G32R2967C04	Slew Bearing	1.00 acc. IMO 32-32 2967/2-00000
MSL8G36R3565C04	Slew Bearing	3.00 acc. data sheet S2101/35, RE 192.36.3565.000.61.1521+EC
MSL8G45R1288C01	Slew Bearing	3.00 Rothe Erde acc.dwg. 061.45.1288.002.69.1503 (mod) Kent ds. 20.263.06-0832A)
MSL8G45R3575C01	Slew Bearing	3.00 Triple roller bearing (192.45.3575.000.61.1520) Acc. DS2101/10-20.275.07
MSL8G50R2355C02	Slew Bearing	2.00 Slew bearing acc. IMO 42-60 2355/2-00000
MSL8G50R4400C03	Slew Bearing	1.00 acc. data sheet S2101/45, RE 192.50.4400.100.69.1520
MSL8G50R4110C02	Slew Bearing	1.00 Acc. Data Sheet 2101/10 Rev.0 Rdr 03-07-07
MSL8G60B295OC69P001	Grease testkit for slewbearing	6.00 PARTNO. 63462093 104900 FOR BEARING 062.60.2950.69.1502
MSL8G62B295OC01P001	Sealsset for slewbearing	1.00 acc. dwg. 062.60.2950.101.69.1502 (946.121)
MSL8G-6901C01	Slewbearing for service crane	2.00 VSU 200414
MSL8G70B1880C08	Slew Bearing	3.00 Acc. DS 2101/10-20.251.04
MSLGR000-000C01	Slew Gears	1.00 Trasmital type 3112HZ i=38,8 DOAQ T-opstelling
MSLGR027-007C02P006	Pressure Spring Set 2	17.00 22x 2.012.12 (for main, luff & aux 986.052)
MSLGR063-225C01P0051	Sealsset for slewing gearbox	1.00 for 56DD26/0, 731.5631.20-3E0, s/n 23983-23986
MSLGR081-177C01	Slew Gears	2.00 Standard acc data sheet S2102/35 Zollern ZHP 3.27 1034156
MSLGR104-004C01P001	Slew Gear Brake assembly	1.00 type 6L (former no. 30700070) for Trasmital 313M140+437F104 (119 / P6-A)
MSLGR382-218C01P002	Brake Disc Set	1.00 (8x 2.003.08) + (7x 2.025.10)
MSPBO-1,055C001	Splitter gearbox	1.00 type 4332.07.09904.97 for 986.022
MSPBO-1,055C001P001	Seal set, complete	1.00 03202+03272+03294 for 4332.07.09904.97 for 986.022
MSPBO-1,216-3C01P001	Seals for Splitter gearbox	1.00 (2x O-ring 03272)+(3x O-ring 03294)+(9x seal 05296) (crane 976.111)
MSPBO-1,241-3C01P035	Output Wheel 4289	3.00 0000-004289
MSPBO-1,241-3C01P038	Hub 2316	3.00 0000-002316
MSPBO-6.639-3C01	Pump splitter gearbox	1.00 According data sheet 30.600.39-2260/10 rev. A
MSPBO-9.292-3C01	Pump splitter gearbox	2.00 Acc. Stiebel dwg. A4332.35 (ratio 1,0545 input n1=2100rpm-output n2=2214rpm)
MSPLP08X100D94-G	Split pin	23.00 Galvanized 8x100-St-DIN 94
MSQVSM12D00934AS	Square tapered washer	9.00 M12-AA DIN 434
M-SRB090-190-043-002	Spherical Roller Bearing	2.00 SKF 21318E / FAG 21318E1.TVPB
M-SRB280-420-140-001	Spherical Roller Bearing	3.00 24056CC/W33
MSTBO-M30-001PTSE	Bolt Pre-tension Sensor M30	12.00 BoltSafe Sensor PMS - 5 BS M30P
MSTBO-R00-001PTSE	Bolt Pre-tension Sensor Reader	3.00 BoltSafe Reader SM-200, Nr. 5 BS0025
MSTBO-R00-002PTSE	Bolt Pre-tension Sensor	3.00 BoltSafe Probe-110, Nr. 5 BS0024
MSTBO-R00-003PTSE	Bolt Pre-tension Sensor	4.00 BoltSafe PC cable (RS232), Nr. 5 BS0032
MSTWR06A1002-05	Steel Wire Rope	1.00 L=1800mm Acc. attached dwg.
MT00L-PUMPPA3-331-01	Tension Cylinder Seal Kit	2.00 for 33.10093
MT00L-SPLINSHAFT-C01	Spline Test Shaft size 50	2.00 W.50x2x30x24x9G, L=80/220mm /rond49.6H66 C45/1.0503
MT00L-SPLINSHAFT-C02	Spline Test Shaft size 45	2.00 W.45x2x30x21x9G, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-C04	Spline Test Shaft size 35	3.00 W.35x2x30x16x9G, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-C05	Spline Test Shaft size 30	4.00 W.30x2x30x14x9G, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-C06	Spline Test Shaft size 25	4.00 W.25x1,25x30x18x9G, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-VC6	Spline Test Shaft size V21	3.00 SAE 21 teeth, 16/32 pitch, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-VC7	Spline Test Shaft size V23	4.00 SAE 23 teeth, 16/32 pitch, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-VC8	Spline Test Shaft size V27	4.00 SAE 27 teeth, 16/32 pitch, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-VF1	Spline Test Shaft size V13	4.00 SAE 13 teeth, 8/16 pitch, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-VF2	Spline Test Shaft size V15	3.00 SAE 15 teeth, 8/16 pitch, L=80/220mm /rond...H. C45/1.0503
MT00L-SPLINSHAFT-VS1	Spline Test Shaft size V14	4.00 SAE 14 teeth, 12/24 pitch, L=80/220mm /rond...H. C45/1.0503
MVIDA-70-001	Anti vibration pad	4.00 TYPE IS 60.200 70sh
MVIDA-ANB200-001	Impact dampers	12.00 type ANB 200x168, Eriks Art. Code 10041217

KENZ ARTICLE CODE	DESCRIPTION	QTY. MANUFACTURER/ SUPPLIER DESCRIPTION
MVIDA-P970-001	Vibration Dampers	8.00 GMT type 60 016 032 M16 70Sh (met aanslag)
MWARM-L575-102968	Wiper Arm L=575mm	2.00 SWF 102968
MWARM-L600-105788	Wiper Arm Set L=600mm	3.00 SWF 105788
MWICO-SLEEVE-006	Winch Component	2.00 Tail rope connection acc dwg 2131/25
MWICO-SLEEVE-007	Split Sleeve + Rope Anchor	1.00 acc. DS 2131/65 + Dwg. 6201/15 from order 20.201.00
MWIGR027-006C01	MH Winch Gearbox AHC	2.00 acc. DS 2131/11 - 20.201.00
MWIGR027-012C01	MH Winch Gearbox	8.00 acc. DS 2131/10 - 20.201.00
MWIGR029-013C01P005	Winch Gearbox Brake Breather	14.00 0.04 bar, M10x1 (breather 7006-03-G13, reducer 1/4"BSP-M10x1 63739)
MWINC0155-26C01P001	Brake Control Unit 2.007.93	3.00 2.007.93 LB 160/22 KWD
MWINC0197-30C01P002	Inner Pressure Spring set	17.00 22x 2.012.07
MWINC0311-20C01P001	Brake Control Unit 2.007.71	1.00 2.007.71 (replacement for 2.007.16)
MWIWI-CONT/EL103765	3.5L Synthetic Container	6.00 ART.NR.103765 255 X 150 X 101
MWIWI-CONT/PLASTIC	Wiper Connection Hose	1.00 103764 (w. EL.PUMP/CONN.HOSE)
MWS-BRACKET- FRONT	Bracket Front	11.00 Acc Kenz STD dwg S6521/01 (Wiper system 1300)
MWS-BRACKET-CONTROL	Bracket Control	15.00 Acc Kenz std dwg S6521/04 (Wiper system 1300)
MWS-BRACKET-SPRAY	Bracket Spray	14.00 acc. kenz std. dwg. S6521/05 (Wiper system 1300)
MWS-BRACKRT-TOP	Bracket Top	23.00 acc Kenz std dwg S6521/02 (Wiper system 1300)
MWS-DRIROD-L410+380	Drive Rod	6.00 For pendulesystem Supplier art no.: 2146 (Wiper system 1300)
MWS-DRIROD-L470	Drive Rod	15.00 For pantograph system Supplier art no.: 6146 (Wiper system 1300)
MWS-DRIROD-L500	Drive Rod	10.00 For pantograph system Supplier art no.: 2146 (Wiper system 1300)
MWS-FLEX COUPLING	Wiper system 1300	20.00 Coupling acc dwg S6521/06 (Kenz std dwg's)
MWS-HOSE CONNECTOR	Wiper system 1300	11.00 slangpilaar 3/8 "bu x 6mm pilaar Fig. 707
MWS-MOTOR-030	Wiper Motor 30Nm	5.00 65008900 (Wiper system 1800)
MWS-PANTOARM-L0610	Pantograph Arm	11.00 Type 613 Supplier no.: 00761324 (Wiper system 1300)
MWS-PENDUARM-L0305	Pendule Arm	17.00 Type F64 Supplier no.: 00706412 (wiper system 1300)
MWS-PENDUARM-L0410	Pendule Arm	15.00 Type F64 Supplier no.: 00706416 (Wiper system 1300)
MWS-TANK-2.2	2.2 Liter Tank	10.00 art. 101549 2.2 L synthetic container (Wiper system 1300)
MWS-TANK-7.0	7.0 Liter Tank	2.00 art. 104320 7.0 L synthetic container (Wiper system 1300)
MWS-WIPERBLADE-L400	Wiper Blade 410mm	18.00 Type B140 Supplier art no.: 00714016
MWS-WIPERBLADE-L500	Wiper blade 500mm	22.00 Type B140 Supplier art no.: 00714020
MWS-WIPERBLADE-L600	Wiper Blade 600mm	15.00 Type B140 Supplier art no.: 00714024
SCERU-FLAT040X020	Cell Rubber	23.00 CEL RUB 40X20MM ADHESIVE 40
SCON-S-BO-STANDARD01	Part Boomangle Encoder	8.00 acc. Dwg. S6126/08 (0001-5) suitable for Encoder type AMG11
SCON-S-DC-0001500-01	Protection Cover	8.00 acc. Dwg. S6523/01 (Standard 0001-5)
SCON-S-LU-4501001-01	Luffing Structures	17.00 Manifold support Acc. Std. Dwg. S4501/01
SCON-S-LU-4501002-01	Luffing Structures	17.00 Piping support Acc. Std. Dwg. S4501/02
SCON-S-SL-2028106-01	Slewing Structures	4.00 Parts slewing Encoder Acc.dwg. 2101/52 - 20.281.06
SLADD-EE12-101	Ladder Suspension Set	1.00 Acc. drawing 3-1582 for DHC 15/150 12t-2nd generation cranes
SMERA100-01-001	Mechanical Radius Indicator	1.00 Dwg. 2901/01 PLATE 100 mm R=500
SMERA100-01-P29009	Bushing	4.00 pos. 29009 acc. KS2901/01
SMERA150-01-001	Mechanical Radius Indicator	1.00 Acc. Dwg. 2901/1 R=300
SMERA150-01-003	Mechanical Radius Indicator	1.00 Acc. Dwg. KS2901/02
SMPBO-97-2802P000010	Machining Parts Rope Sensor	4.00 Acc. Dwg. 2802/04, S137
SMPBO-98-1107P000010	Bushing for hook stororage	2.00 nylatron: pos. 11723 on dwg. 986022 - 1107